Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S11	13	(public adj key same initial adj value)and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/14 17:33
S12	1333	(public adj key with (seed number value))and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818") not S11	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/15 16:45
S13	805	(user with (seed number value))and (public adj key with (seed number value))and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818") not S11	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/14 17:18
S14	308	(user with (issu$3 giv$1 receiv$3) with (seed number value))and (public adj key with (seed number value))and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818") not S11	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/14 17:19
S15	171	(user with (issu$3 giv$1 receiv$3) with (seed number value))same (public adj key with (seed number value))and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818") not S11	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/14 17:19
S16	132	(user with (issu$3 giv$1 receiv$3) with (seed number value))same (public adj key with (seed number value))and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818") not S11	USPAT	OR	OFF	2004/11/14 17:19
S17	0	(user with (issu$3 giv$1 receiv$3) with (seed number value))same (public adj key with (seed number value)).ab. and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818") not S11	USPAT	OR	OFF	2004/11/14 17:19
S18	13	(user with (issu$3 giv$1 receiv$3) with (seed number value)).ab. and (public adj key with (seed number value)) and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818") not S11	USPAT	OR	OFF	2004/11/14 17:20
S19	9	(user with (issu$3 giv$1 receiv$3) with (seed number value)) and (public adj key with (seed number value)).ab. and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818") not S11	USPAT	OR	OFF	2004/11/14 17:47
S20	22	S18 or S19	USPAT	OR	OFF	2004/11/14 17:20

S21	1	"5768389".pn. and ("personal data" "ID" "(ID)")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/14 17:45
S22	14	(((user adj (name ID)) password) with public adj key).ab. and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818") not (S20 S11)	USPAT	OR	OFF	2004/11/14 17:54
S23	870	(380/44 380/45 380/46 380/47). ccls. and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818")	USPAT	OR	OFF	2004/11/14 17:55
S24	322	(380/44).ccls. and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818")	USPAT	OR	OFF	2004/11/14 17:56
S25	47	(380/44).ccls. and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818") and seed	USPAT	OR	OFF	2004/11/14 17:57
S26	16	(380/44).ccls. and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818") and seed with user	USPAT	OR	OFF	2004/11/14 18:01
S27	1	"6608901".pn. and public adj key	USPAT	OR	OFF	2004/11/14 17:59
S28	9	(380/44).ccls. and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818") and seed with user and public adj key	USPAT	OR	OFF	2004/11/14 18:21
S29	77	public adj key with token and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818")	USPAT	OR	OFF	2004/11/15 11:47
S30	130	public adj key with smart and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818")	USPAT	OR	OFF	2004/11/14 18:23
S31	100	public adj key with smart adj card and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818")	USPAT	OR	OFF	2004/11/14 18:23
S32	0	public adj key with seed with smart adj card and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818")	USPAT	OR	OFF	2004/11/14 18:23
S33	5	public adj key and seed with smart adj card and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818")	USPAT	OR	OFF	2004/11/14 18:28

S34	6	public adj key and seed with token and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818")	USPAT	OR	OFF	2004/11/14 18:33
S35	9	(generat$ with (public assymetric) with key$1).ti. and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818")	USPAT	OR	OFF	2004/11/14 18:35
S36	6	(generat$ with (public assymetric) with key$1).ti. and (user) and(@ad<"19980818" or @rlad<"19980818" or @prad<"19980818")	USPAT	OR	OFF	2004/11/14 19:22
S37	101	(PIN same public adj key) and(@ad<"19980818" or @rlad<"19980818" or @prad<"19980818")	USPAT	OR	OFF	2004/11/15 10:51
S38	41	(PIN with public adj key) and(@ad<"19980818" or @rlad<"19980818" or @prad<"19980818")	USPAT	OR	OFF	2004/11/15 11:02
S39	322	380/44.ccls. and(@ad<"19980818" or @rlad<"19980818" or @prad<"19980818")	USPAT	OR	OFF	2004/11/15 11:02
S40	119	public adj key and 380/44.ccls. and(@ad<"19980818" or @rlad<"19980818" or @prad<"19980818")	USPAT	OR	OFF	2004/11/15 11:03
S41	119	public adj key and 380/44.ccls. and(@ad<"19980818" or @rlad<"19980818" or @prad<"19980818")	USPAT; EPO; JPO	OR	OFF	2004/11/15 11:52
S42	29	key.ti. and public adj key and 380/44.ccls. and(@ad<"19980818" or @rlad<"19980818" or @prad<"19980818")	USPAT; EPO; JPO	OR	OFF	2004/11/15 11:15
S43	10	user with (ID password PIN information) with (creat$3 generat$3 deriv$3) same public adj key and 380/44.ccls.	USPAT; EPO; JPO	OR	OFF	2004/11/15 11:39
S44	0	("method for generating public and private key").ti. and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818")	USPAT	OR	OFF	2004/11/15 11:48
S45	1	(method with generat$3 with public with key with passphrase).ti. and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818")	USPAT	OR	OFF	2004/11/15 11:48

S46	16	("4747050" "5557346" "557765" "5600720" "5724425" "4200770" "4405829" "4759063" "4799258" "5136646" "5401950" "5546463" "5663896" "5848159").pn.	USPAT; EPO; JPO	OR	OFF	2004/11/15 11:53
S47	9	("4747050" "5557346" "557765" "5600720" "5724425" "4200770" "4405829" "4759063" "4799258" "5136646" "5401950" "5546463" "5663896" "5848159").pn. and (public adj key)	USPAT; EPO; JPO	OR	OFF	2004/11/15 13:10
S48	1	"4736423".pn.	USPAT; EPO; JPO	OR	OFF	2004/11/15 15:30
S49	1	"4736423".pn. and (user public secret)	USPAT; EPO; JPO	OR	OFF	2004/11/15 15:36
S50	1	"5201000".pn. and (hash one adj way user)	USPAT; EPO; JPO	OR	OFF	2004/11/15 15:37
S51	114	(public adj key with (user owner) near2 name)and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/15 16:46
S52	89	(public adj key with (user adj name))and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/15 16:46
S53	75	(public adj key with (user adj name))and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818")	USPAT	OR	OFF	2004/11/15 16:47
S54	48	(public adj key with generat$3) and (public adj key with (user adj name))and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818")	USPAT	OR	OFF	2004/11/15 17:00
S55	1	"5201000".pn. and (passphrase)	USPAT	OR	OFF	2004/11/15 16:56
S56	3	(public adj key with generat$3) and (public adj key with (user adj name))and 380/44.ccls. and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818")	USPAT	OR	OFF	2004/11/15 17:05
S57	4	(public adj key with generat$3) and (public adj key with (user adj (name information)))and 380/44. ccls. and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818")	USPAT	OR	OFF	2004/11/15 17:06

S58	1	(public adj key with generat$3) and (public adj key with (user adj (name information)))and 380/44. ccls. and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818") not S56	USPAT	OR	OFF	2004/11/15 17:10
S59	55	(generat$3 with public adj key with (user adj (name information id))) and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818") not S57	USPAT	OR	OFF	2004/11/15 17:16
S60	0	(generat$3 with public adj key with (owner adj (name information id))) and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818") not S57	USPAT	OR	OFF	2004/11/15 17:16
S61	0	(create with identif$3 with (owner adj (name information id))) and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818") not S57	USPAT	OR	OFF	2004/11/15 17:17
S62	10	(creat$3 with identif$3 with (owner with (name information id))) and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818") not S57	USPAT	OR	OFF	2004/11/15 18:19
S63	3	(public adj key same seed with recover$3) and (@ad<"19980818" or @rlad<"19980818" or @prad<"19980818")	USPAT	OR	OFF	2004/11/15 18:19
S64	334	(password with smart adj card) and(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/16 09:10
S65	0	paraphrase same(password with smart adj card) and(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/16 09:10
S66	0	paraphrase and(password with smart adj card) and(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/16 09:10
S67	327	(password with smart adj card) and(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201")	US-PGPUB; USPAT	OR	OFF	2004/11/16 09:10
S68	51	(security with password with smart adj card) and(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201")	US-PGPUB; USPAT	OR	OFF	2004/11/16 09:18

S69	10	(random with seed with smart adj card) and(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201")	US-PGPUB; USPAT	OR	OFF	2004/11/16 09:13
S70	0	(random with seed with weak with smart adj card) and(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201")	US-PGPUB; USPAT	OR	OFF	2004/11/16 09:15
S71	0	(random with seed with (forget$1 forgot$1) with smart adj card) and(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201")	US-PGPUB; USPAT	OR	OFF	2004/11/16 09:16
S72	3	(security with password with(forget$1 forgot$1)with smart adj card) and(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201")	US-PGPUB; USPAT	OR	OFF	2004/11/16 09:17
S73	0	(security with password with(weak)with smart adj card) and(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201")	US-PGPUB; USPAT	OR	OFF	2004/11/16 09:17
S74	11	(generat$3 with seed with smart adj card) and(@ad<"20001201" or @rlad<"20001201" or @prad<"20001201")	US-PGPUB; USPAT	OR	OFF	2004/11/16 09:18